

Cambridge International AS & A Level

<https://babacambridgesolutions.com>

Mathematics

9709/42

Paper 4 Mechanics

October/November 2024

Question No(2)

We Offer:

Cambridge A Level Mathematics (9709) – **Online Tuition**

Affordable Pricing

 **Pakistani Students: Rs. 200** – Get Complete One-Year Past Paper Solutions with Step-by-Step PDF & Video Explanations.

 **International Students: \$2** – Get Complete One-Year Past Paper Solutions with Step-by-Step PDF & Video Explanations.

Payment Methods

 Jazz Cash: 03024344565

 EasyPaisa: 03454231525

Contact for Details



+92 345 4231525


Question No (2)

A block of mass 20 kg is held at rest at the top of a plane inclined at 30° to the horizontal. The block is projected with speed 5 m s^{-1} down a line of greatest slope of the plane. There is a resistance force acting on the block. As the block moves 2 m down the plane from its point of projection, the work done against this resistance force is 50 J.

Find the speed of the block when it has moved 2 m down the plane.

Solution:

Given data
 mass of the block, $m = 20 \text{ kg}$
 angle, $\theta = 30^\circ$
 initial speed, $u = 5 \text{ m/s}$



distance moved down the slope, $s = 2 \text{ m}$

work done against resistance, $W = -50 \text{ J}$

$$g = 9.8 \text{ m/s}^2$$

we shall find the speed v of the block after moving 2 m.

DATE:-

(5)

From the diagram or fig

$$\frac{h}{2} = 8 \text{ m } 30$$

$$h = 2 \text{ m } 30$$

$$h = 2 \cdot \frac{1}{2} = 1 \text{ m}$$

Loss in potential energy $\Delta U = -mg\Delta h$

$$= -20(9.8)(1)$$

$$= -196 \text{ J}$$

Change in K.E

let v be the speed after moving 2m

$$\Delta K = \frac{1}{2} m v^2 - \frac{1}{2} m u^2$$

$$= \frac{1}{2} (20)(v^2) - \frac{1}{2} (20)(5)^2$$

$$\Delta K = 10v^2 - 250$$

By work energy principle

$$W = \Delta K + \Delta U$$

$$-50 = (10v^2 - 250) - 196$$

$$10v^2 = 396 \Rightarrow v^2 = 39.6$$

$$v = \sqrt{39.6} = 6.29 \text{ m/s}$$

